


Aquarium

Our zoo was so successful, let's start an aquarium



For a fish, we only care about its weight, so for two fish:

```
; An aquarium is
; (make-aq num num)
(define-struct aq (first second))
```

Aquarium Template

```
; An aquarium is
; (make-aq num num)
```

Generic template:

```
; func-for-aq : aquarium -> ...
; (define (func-for-aq a)
;   ... (aq-first a) ... (aq-second a) ...)
```


```
; aq-weight : aquarium -> num
(define (aq-weight a)
  (+ (aq-first a) (aq-second a)))
```

```
(aq-weight (make-aq 7 8)) "should be" 15
```

And so on, for many other simple aquarium functions...

Tragedy Strikes the Aquarium

Poor blue fish... now we have only one



Worse, we have to re-write all our functions...

```
; An aquarium is
; (make-aq num)
(define-struct aq (first))
```

Aquarium Template, Revised

```
; An aquarium is
; (make-aq num)
```

```
; func-for-aq : aquarium -> ...
; (define (func-for-aq a)
;   ... (aq-first a) ...)
```


```
; aq-weight : aquarium -> num
(define (aq-weight a)
  (aq-first a))
```

```
(aq-weight (make-aq 7)) "should be" 7
```

And so on, for **all** of the aquarium functions...

The Aquarium Expands

Hooray, we have two new fish!



Unfortunately, we have to re-re-write all our functions...


```
; An aquarium is
; (make-aq num num num)
(define-struct aq (first second third))
```

Structs as Boxes

Pictorially,

- `define-struct` lets us define a new kind of box
- The box can have as many compartments as we want, but we have to pick how many, once and for all

```
(define-struct snake (name weight food))
```



```
(define-struct ant (weight loc))
```



A Flexible Aquarium Representation

Our data choice isn't working


- An aquarium isn't just 1 fish, 2 fish, or 100 fish — it's a collection containing an arbitrary number of fish
- No data definition with just 1, 2, or 100 numbers will work

To represent an aquarium, we need a *list* of numbers


We don't need anything new in the language, just a new idea

Boxes Stretch

The boxes stretch to fit any one thing in each slot:



Even other boxes:




Still, the number of slots is fixed

Packing Boxes

Suppose that


- You have four things to pack as one
- You only have 2-slot boxes
- Every slot must contain exactly one thing

How can you create a single package?




Packing Boxes

This isn't good enough




because it's still two boxes...

But this works!




Packing Boxes

And here's 8 fish:



And here's 16 fish!



But what if we just add 1 fish, instead of doubling the fish?


But what if we have 0 fish?

General Strategy for Packing Boxes

Here's a general strategy:

- For 0 fish, use **empty**
- If you have a package and a new fish, put them together

To combine many fish, start with **empty** and add fish one at a time



General Strategy for a List of Numbers

To represent the aquarium as a list of numbers, use the same idea:

- For 0 fish, use `empty`
- If you have a list and a number, put them together with `make-bigger-list`

```
empty
```

```
(make-bigger-list 10 empty)
```

```
(make-bigger-list 5 (make-bigger-list 10 empty))
```

```
(make-bigger-list 7 (make-bigger-list 5 (make-bigger-list 10 empty)))
```

List of Numbers

```
; A list-of-num is either  
; - empty  
; - (make-bigger-list num list-of-num)  
(define-struct bigger-list (first rest))
```

List of Numbers

```
; A list-of-num is either  
; - empty  
; - (make-bigger-list num list-of-num)  
(define-struct bigger-list (first rest))
```

Generic template:

```
; func-for-lon : list-of-num -> ...  
(define (func-for-lon l)  
  ...)
```

List of Numbers

```
; A list-of-num is either  
; - empty  
; - (make-bigger-list num list-of-num)  
(define-struct bigger-list (first rest))
```

Generic template:

```
; func-for-lon : list-of-num -> ...  
(define (func-for-lon l)  
  (cond  
    [(empty? l) ...]  
    [(bigger-list? l) ...]))
```

List of Numbers

```
; A list-of-num is either
; - empty
; - (make-bigger-list num list-of-num)
(define-struct bigger-list (first rest))
```

Generic template:

```
; func-for-lon : list-of-num -> ...
(define (func-for-lon l)
  (cond
    [(empty? l) ...]
    [(bigger-list? l)
     ... (bigger-list-first l)
     ... (bigger-list-rest l)
     ...]))
```

List of Numbers

```
; A list-of-num is either
; - empty
; - (make-bigger-list num list-of-num)
(define-struct bigger-list (first rest))
```

Generic template:

```
; func-for-lon : list-of-num -> ...
(define (func-for-lon l)
  (cond
    [(empty? l) ...]
    [(bigger-list? l)
     ... (bigger-list-first l)
     ... (bigger-list-rest l)
     ...]))
```

List of Numbers

```
; A list-of-num is either
; - empty
; - (make-bigger-list num list-of-num)
(define-struct bigger-list (first rest))
```

Generic template:

```
; func-for-lon : list-of-num -> ...
(define (func-for-lon l)
  (cond
    [(empty? l) ...]
    [(bigger-list? l)
     ... (bigger-list-first l)
     ... (func-for-lon (bigger-list-rest l))
     ...]))
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  ...)
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  ...)
```

```
(aq-weight empty) "should be" 0
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  ...)
```

```
(aq-weight empty) "should be" 0
```

```
(aq-weight (make-bigger-list 2 empty))
"should be" 2
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  ...)
```

```
(aq-weight empty) "should be" 0
```

```
(aq-weight (make-bigger-list 2 empty))
"should be" 2
```

```
(aq-weight (make-bigger-list 5 (make-bigger-list 2 empty)))
"should be" 7
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  (cond
    [(empty? l) ...]
    [(bigger-list? l)
     ... (bigger-list-first l)
     ... (aq-weight (bigger-list-rest l))
     ...]))
```

```
(aq-weight empty) "should be" 0
```

```
(aq-weight (make-bigger-list 2 empty))
"should be" 2
```

```
(aq-weight (make-bigger-list 5 (make-bigger-list 2 empty)))
"should be" 7
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  (cond
    [(empty? l) 0]
    [(bigger-list? l)
     (+ (bigger-list-first l)
        (aq-weight (bigger-list-rest l)))]))
```

```
(aq-weight empty) "should be" 0
```

```
(aq-weight (make-bigger-list 2 empty))
"should be" 2
```

```
(aq-weight (make-bigger-list 5 (make-bigger-list 2 empty)))
"should be" 7
```

Aquarium Weight

```
; aq-weight : list-of-num -> num
; Sums the fish weights in l
(define (aq-weight l)
  (cond
    [(empty? l) 0]
    [(bigger-list? l)
     (+ (bigger-list-first l)
        (aq-weight (bigger-list-rest l)))]))
```

Try examples in the stepper

```
(aq-weight empty) "should be" 0
```

```
(aq-weight (make-bigger-list 2 empty))
"should be" 2
```

```
(aq-weight (make-bigger-list 5 (make-bigger-list 2 empty)))
"should be" 7
```

Shortcuts

The name `make-bigger-list` is awfully long

DrScheme has built-in shorter versions

<code>make-bigger-list</code>	⇒	<code>cons</code>
<code>bigger-list-first</code>	⇒	<code>first</code>
<code>bigger-list-rest</code>	⇒	<code>rest</code>
<code>bigger-list?</code>	⇒	<code>cons?</code>

```
(first (cons 1 empty)) → 1
```

```
(rest (cons 1 empty)) → empty
```

```
(cons? empty) → false
```

Lists using the Shortcuts

```
; A list-of-num is either
; - empty
; - (cons num list-of-num)
```

```
; aq-weight : list-of-num -> num
(define (aq-weight l)
  (cond
    [(empty? l) 0]
    [(cons? l) (+ (first l)
                  (aq-weight (rest l)))]))
```

```
(aq-weight empty) "should be" 0
```

```
(aq-weight (cons 5 (cons 2 empty)))
"should be" 7
```


Design Recipe for Lists

Design recipe changes for today:

None

Granted, the self-reference was slightly novel...


```
; A list-of-num is either  
; - empty  
; - (cons num list-of-num)
```



Recursion

A self-reference in a data definition leads to a *recursive* function — one that calls itself

```
(define (aq-weight l)  
  (cond  
    [(empty? l) 0]  
    [(cons? l) (+ (first l)  
                  (aq-weight (rest l)))]))
```



Recursion is rumored to be a difficult topic...

... but now you know better